

Safety Data Sheet

# Calibration gas mixture "Gas Campione" SDS reference: 1956\_15





SECTION 1: identification of the substance/mixture and of the company/undertaking				
1.1. Product identifier				
Trade name SDS no	<ul><li>Calibration gas mixture "Gas Campione"</li><li>1956_15</li></ul>			
1.2. Relevant identified uses of the substance or mixture and uses advised against				
Relevant identified uses	<ul> <li>Industrial and professional use for chemical analysis, calibration, (routine) quality control, laboratory use, under controlled conditions.</li> <li>Perform risk assessment prior to use.</li> </ul>			
Uses advised against	: Consumer use. Uses other than those listed above are not supported, contact your supplier for more information on other uses.			
1.3. Details of the supplier of the safety data shee	<u>et</u>			
	SIAD S.p.A. Via San Bernardino, 92 I-24126 Bergamo – Italia T +39 035 328111 - F +39 035 315486 <u>siad_reach_clp@siad.com</u> - <u>www.siad.com</u>			
1.4. Emergency telephone number				
Emergency telephone number	: Linea verde S.E.T from Italy 800452661 - International +39 0362512868 - 24 hours a day, 365 days a year			
SECTION 2: hazards identification				
2.1. Classification of the substance or mixture				
Classification according to Regulation (EC) No. 12	272/2008 [CLP]			
Physical hazards	Gases under pressure : Compressed gas H280			
2.2. Label elements				
Labelling according to Regulation (EC) No. 1272/2	2008 [CLP]			
Hazard pictograms (CLP)				

Signal word (CLP) Hazard statements (CLP) Precautionary statements (CLP) - Storage GHS04 : Warning : H280 - Contains gas under pressure; may explode if heated.

: P403 - Store in a well-ventilated place.



#### 2.3. Other hazards

Not classified as PBT or vPvB.

The substance/mixture has no endocrine disrupting properties.

### **SECTION 3: composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Nitrogen	CAS-No.: 7727-37-9 EC-No.: 231-783-9 EC Index-No.: REACH registration No: *1		Press. Gas (Comp.), H280
oxygen	CAS-No.: 7782-44-7 EC-No.: 231-956-9 EC Index-No.: 008-001-00-8 REACH registration No: *1		Ox. Gas 1, H270 Press. Gas (Comp.), H280
methane	CAS-No.: 74-82-8 EC-No.: 200-812-7 EC Index-No.: 601-001-00-4 REACH registration No: 01-2119474442-39		Flam. Gas 1A, H220 Press. Gas (Comp.), H280

Full text of H- and EUH-statements: see section 16

Contains no other components or impurities which will influence the classification of the product.

\*1: Listed in Annex IV / V REACH, exempted from registration.

\*3: Registration not required: Substance manufactured or imported < 1t/y.

### SECTION 4: first aid measures

#### 4.1. Description of first aid measures

- Inhalation

- Skin contact
- Eye contact
- Ingestion

- : Adverse effects not expected from this product. : Adverse effects not expected from this product.
- : Adverse effects not expected from this product.
- : Ingestion is not considered a potential route of exposure.

#### 4.2. Most important symptoms and effects, both acute and delayed

See section 11.

4.3. Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: firefighting measured	res		
5.1. Extinguishing media			
- Suitable extinguishing media	: Water spray or fog.	use fire control measures appropriate for the surroun	ding fire
- Unsuitable extinguishing media	: Do not use water jet to		
5.2. Special hazards arising from the su	ubstance or mixture		
Specific hazards	: Supports combustion. Exposure to fire may ca	ause containers to rupture/explode.	
Hazardous combustion products	: Carbon monoxide.		
SIAD S.p.A.	EN (English)	Reference number: 1956_15	2/10



5.3. Advice for firefighters	
Specific methods	<ul> <li>Use fire control measures appropriate for the surrounding fire. Exposure to fire and heat radiation may cause gas receptacles to rupture. Cool endangered receptacles with water spray jet from a protected position. Prevent water used in emergency cases from entering sewers and drainage systems.</li> <li>If possible, stop flow of product.</li> <li>Use water spray or fog to knock down fire fumes if possible.</li> </ul>
	Move containers away from the fire area if this can be done without risk.
Special protective equipment for fire fighters	: Standard protective clothing and equipment (Self Contained Breathing Apparatus) for fire fighters.
	Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask.
	Standard EN 469 - Protective clothing for firefighters. Standard - EN 659 - Protective gloves for firefighters.

SECTION 6: accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
For non-emergency personnel	<ul> <li>Act in accordance with local emergency plan.</li> <li>Stay upwind.</li> <li>See section 8 of the SDS for more information on personal protective equipment.</li> </ul>	
For emergency responders	: See section 5.3 of the SDS for more information.	
6.2. Environmental precautions		
	None.	
6.3. Methods and material for containment and cleaning up		
	Ventilate area.	
6.4. Reference to other sections		
	See also sections 8 and 13.	

# SECTION 7: handling and storage

Safe use of the product		ed in accordance with good industrial hygiene and s	afetv
	procedures.	ed in deoridance with good industrial hygiene and e	aloty
	1	erly instructed persons should handle gases under	pressure.
	Consider pressure relief d	vice(s) in gas installations.	
	Ensure the complete gas	ystem was (or is regularily) checked for leaks before	e use.
	Do not smoke while handl	ng product.	
	Use only properly specifie	equipment which is suitable for this product, its sup	ply pressure
	and temperature. Contact	our gas supplier if in doubt.	
	Avoid suck back of water,	acid and alkalis.	
	Do not breathe gas.		
	Avoid release of product in	to work area.	
Safe handling of the gas receptacle	: Refer to supplier's contain	er handling instructions.	
	Do not allow backfeed into	the container.	
	Protect containers from ph	sical damage; do not drag, roll, slide or drop.	
	When moving cylinders, e	en for short distances, use a cart (trolley, hand truck	<, etc.)
	designed to transport cylin	ders.	
	Leave valve protection cap	s in place until the container has been secured agai	nst either a
	wall or bench or placed in	a container stand and is ready for use.	
	If user experiences any di	iculty operating valve discontinue use and contact s	upplier.
	Never attempt to repair or	modify container valves or safety relief devices.	
	Damaged valves should b	e reported immediately to the supplier.	



Keep container valve outlets clean and free from contaminants particularly oil and water. Replace valve outlet caps or plugs and container caps where supplied as soon as container is disconnected from equipment.

Close container valve after each use and when empty, even if still connected to equipment. Never attempt to transfer gases from one cylinder/container to another.

Never use direct flame or electrical heating devices to raise the pressure of a container.

Do not remove or deface labels provided by the supplier for the identification of the content of the container.

Suck back of water into the container must be prevented.

Open valve slowly to avoid pressure shock.

#### 7.2. Conditions for safe storage, including any incompatibilities

Observe all regulations and local requirements regarding storage of containers.

Containers should not be stored in conditions likely to encourage corrosion.

Container valve guards or caps should be in place.

Containers should be stored in the vertical position and properly secured to prevent them from falling over.

Stored containers should be periodically checked for general condition and leakage. Keep container below 50°C in a well ventilated place.

Store containers in location free from fire risk and away from sources of heat and ignition. Keep away from combustible materials.

#### 7.3. Specific end use(s)

None.

### **SECTION 8: exposure controls/personal protection**

### 8.1. Control parameters

methane (74-82-8)	
Belgium - Occupational Exposure Limits	
Local name	Hydrocarbures aliphatiques sous forme gazeuse: (Alcanes C1-C3) # Alifatische koolwaterstoffen in gas-vorm: Alkanen (C1-C3)
OEL TWA [ppm]	1000 ppm
Regulatory reference	Koninklijk besluit/Arrêté royal 19/11/2020
Bulgaria - Occupational Exposure Limits	
Local name	Метан
OEL TWA	500 mg/m <sup>3</sup>
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр.5 от 17 Януари 2020 г.)
Finland - Occupational Exposure Limits	
Local name	Metaani
HTP (OEL TWA) [2]	1000 ppm
Remark	Happea syrjäyttämällä tukahduttavat kaasut.
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)
Ireland - Occupational Exposure Limits	
Local name	Aliphatic hydrocarbon gases Alkanes (C1-C3): Methane
Remark	Asphx. (Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants)
Regulatory reference	Chemical Agents Code of Practice 2020
Romania - Occupational Exposure Limits	· · · · · · · · · · · · · · · · · · ·
Local name	Metan



OEL TWA		1200 mg/m <sup>3</sup>
DEL TWA [ppm]		1834 ppm
DEL STEL		1500 mg/m <sup>3</sup>
OEL STEL [ppm]		2292 ppm
Regulatory reference		Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 53/2021)
Spain - Occupational Exposure Limits		·
Local name		Metano
VLA-ED (OEL TWA) [2]		1000 ppm Hidrocarburos alifáticos alcanos (C1 – C4) y sus mezclas, gases (Butano; Etano; Metano; Propano)
Regulatory reference		Límites de Exposición Profesional para Agentes Químicos en España 2021. INSHT
Switzerland - Occupational Exposure Limit	its	
Local name		Méthane / Methan
MAK (OEL TWA) [1]		6700 mg/m <sup>3</sup>
MAK (OEL TWA) [2]		10000 ppm
Critical toxicity		Formel / Formal
Regulatory reference		www.suva.ch, 01.01.2021
DNEL (Derived-No Effect Level) PNEC (Predicted No-Effect Concentration)	: None establi : None establi	
8.2. Exposure controls		
8.2.1. Appropriate engineering controls		
	Drovido odor	rupto general and local autoust ventilation
		quate general and local exhaust ventilation.
	Systems und	ler pressure should be regularily checked for leakages.
	Systems und Ensure expo	
3.2.2. Individual protection measures, e.g.	Systems und Ensure expo Consider the	ler pressure should be regularily checked for leakages. sure is below occupational exposure limits (where available). use of a work permit system e.g. for maintenance activities.
3.2.2. Individual protection measures, e.g.	Systems und Ensure expo Consider the personal protective ed	ler pressure should be regularily checked for leakages. sure is below occupational exposure limits (where available). use of a work permit system e.g. for maintenance activities. quipment
8.2.2. Individual protection measures, e.g.	Systems und Ensure expo Consider the personal protective ed A risk assess risks related	ler pressure should be regularily checked for leakages. sure is below occupational exposure limits (where available). use of a work permit system e.g. for maintenance activities.
3.2.2. Individual protection measures, e.g.	Systems und Ensure expo Consider the personal protective ed A risk assess risks related The following	ler pressure should be regularily checked for leakages. sure is below occupational exposure limits (where available). use of a work permit system e.g. for maintenance activities. quipment sment should be conducted and documented in each work area to assess the to the use of the product and to select the PPE that matches the relevant risk.
	Systems und Ensure expo Consider the personal protective ed A risk assess risks related The following PPE complia : Wear safety	ler pressure should be regularily checked for leakages. sure is below occupational exposure limits (where available). use of a work permit system e.g. for maintenance activities. quipment sment should be conducted and documented in each work area to assess the to the use of the product and to select the PPE that matches the relevant risk. g recommendations should be considered: int to the recommended EN/ISO standards should be selected. glasses with side shields.
Eye/face protection	Systems und Ensure expo Consider the personal protective ed A risk assess risks related The following PPE complia : Wear safety	ler pressure should be regularily checked for leakages. sure is below occupational exposure limits (where available). use of a work permit system e.g. for maintenance activities. quipment sment should be conducted and documented in each work area to assess the to the use of the product and to select the PPE that matches the relevant risk. g recommendations should be considered: int to the recommended EN/ISO standards should be selected.
Eye/face protection Skin protection	Systems und Ensure expo Consider the <b>personal protective ed</b> A risk assess risks related The following PPE complia : Wear safety Standard EN	ler pressure should be regularily checked for leakages. sure is below occupational exposure limits (where available). use of a work permit system e.g. for maintenance activities. quipment sment should be conducted and documented in each work area to assess the to the use of the product and to select the PPE that matches the relevant risk. g recommendations should be considered: int to the recommended EN/ISO standards should be selected. glasses with side shields. 166 - Personal eye-protection - specifications.
Eye/face protection	Systems und Ensure expo Consider the personal protective ed A risk assess risks related The following PPE complia : Wear safety Standard EN : Wear workin	ler pressure should be regularily checked for leakages. sure is below occupational exposure limits (where available). use of a work permit system e.g. for maintenance activities. quipment sment should be conducted and documented in each work area to assess the to the use of the product and to select the PPE that matches the relevant risk. g recommendations should be considered: int to the recommended EN/ISO standards should be selected. glasses with side shields. 166 - Personal eye-protection - specifications. g gloves when handling gas containers.
Eye/face protection Skin protection	Systems und Ensure expo Consider the personal protective ex A risk assess risks related The following PPE complia : Wear safety Standard EN : Wear workin Standard EN	ler pressure should be regularily checked for leakages. sure is below occupational exposure limits (where available). use of a work permit system e.g. for maintenance activities. quipment sment should be conducted and documented in each work area to assess the to the use of the product and to select the PPE that matches the relevant risk. g recommendations should be considered: int to the recommended EN/ISO standards should be selected. glasses with side shields. 166 - Personal eye-protection - specifications. g gloves when handling gas containers.
Eye/face protection Skin protection - Hand protection	Systems und Ensure expo Consider the personal protective ex A risk assess risks related The following PPE complia : Wear safety Standard EN : Wear workin Standard EN : Wear safety	<ul> <li>der pressure should be regularily checked for leakages.</li> <li>sure is below occupational exposure limits (where available).</li> <li>use of a work permit system e.g. for maintenance activities.</li> <li>quipment</li> <li>sment should be conducted and documented in each work area to assess the to the use of the product and to select the PPE that matches the relevant risk.</li> <li>g recommendations should be considered:</li> <li>int to the recommended EN/ISO standards should be selected.</li> <li>glasses with side shields.</li> <li>166 - Personal eye-protection - specifications.</li> <li>g gloves when handling gas containers.</li> <li>388 - Protective gloves against mechanical risk, performance level 1 or higher</li> </ul>
Eye/face protection Skin protection - Hand protection - Other	Systems und Ensure expo Consider the personal protective ex A risk assess risks related The following PPE complia : Wear safety Standard EN : Wear workin Standard EN : Wear safety Standard EN : Standard EN ; Standard EN ; Standard EN ; Standard EN	<ul> <li>ler pressure should be regularily checked for leakages.</li> <li>sure is below occupational exposure limits (where available).</li> <li>use of a work permit system e.g. for maintenance activities.</li> <li>quipment</li> <li>sment should be conducted and documented in each work area to assess the to the use of the product and to select the PPE that matches the relevant risk.</li> <li>g recommendations should be considered:</li> <li>int to the recommended EN/ISO standards should be selected.</li> <li>glasses with side shields.</li> <li>166 - Personal eye-protection - specifications.</li> <li>g gloves when handling gas containers.</li> <li>1388 - Protective gloves against mechanical risk, performance level 1 or higher shoes while handling containers.</li> <li>ISO 20345 - Personal protective equipment - Safety footwear.</li> <li>137 - Self-contained open-circuit compressed air breathing apparatus with full</li> </ul>
Eye/face protection Skin protection - Hand protection	Systems und Ensure expo Consider the personal protective ex A risk assess risks related The following PPE complia : Wear safety Standard EN : Wear workin Standard EN : Wear safety Standard EN : Standard EN ; Standard EN ; Standard EN ; Standard EN	<ul> <li>ler pressure should be regularily checked for leakages.</li> <li>sure is below occupational exposure limits (where available).</li> <li>use of a work permit system e.g. for maintenance activities.</li> <li>quipment</li> <li>sment should be conducted and documented in each work area to assess the to the use of the product and to select the PPE that matches the relevant risk.</li> <li>g recommendations should be considered:</li> <li>int to the recommended EN/ISO standards should be selected.</li> <li>glasses with side shields.</li> <li>166 - Personal eye-protection - specifications.</li> <li>g gloves when handling gas containers.</li> <li>1388 - Protective gloves against mechanical risk, performance level 1 or higher shoes while handling containers.</li> <li>ISO 20345 - Personal protective equipment - Safety footwear.</li> <li>137 - Self-contained open-circuit compressed air breathing apparatus with full</li> </ul>
Eye/face protection Skin protection - Hand protection - Other	Systems und Ensure expo Consider the personal protective ed A risk assess risks related The following PPE complia : Wear safety Standard EN : Wear workin Standard EN : Wear safety Standard EN : Standard EN face mask. Consult resp device.	<ul> <li>ler pressure should be regularily checked for leakages.</li> <li>sure is below occupational exposure limits (where available).</li> <li>use of a work permit system e.g. for maintenance activities.</li> <li>quipment</li> <li>sment should be conducted and documented in each work area to assess the to the use of the product and to select the PPE that matches the relevant risk.</li> <li>g recommendations should be considered:</li> <li>int to the recommended EN/ISO standards should be selected.</li> <li>glasses with side shields.</li> <li>166 - Personal eye-protection - specifications.</li> <li>g gloves when handling gas containers.</li> <li>1388 - Protective gloves against mechanical risk, performance level 1 or higher shoes while handling containers.</li> <li>137 - Self-contained open-circuit compressed air breathing apparatus with full iratory device supplier's product information for the selection of the appropriate</li> </ul>
Eye/face protection Skin protection - Hand protection - Other	Systems und Ensure expo Consider the personal protective ed A risk assess risks related The following PPE complia : Wear safety Standard EN : Wear workin Standard EN : Wear safety Standard EN : Standard EN face mask. Consult resp device. When indical selection of t	ler pressure should be regularily checked for leakages. sure is below occupational exposure limits (where available). use of a work permit system e.g. for maintenance activities. <b>quipment</b> sment should be conducted and documented in each work area to assess the to the use of the product and to select the PPE that matches the relevant risk. g recommendations should be considered: int to the recommended EN/ISO standards should be selected. glasses with side shields. 166 - Personal eye-protection - specifications. g gloves when handling gas containers. 1388 - Protective gloves against mechanical risk, performance level 1 or higher shoes while handling containers. 137 - Self-contained open-circuit compressed air breathing apparatus with full iratory device supplier's product information for the selection of the appropriate ted by a risk assessment, Respiratory Protective Equipment must be used. The he Respiratory Protective Device (RPD) must be based on known or
Eye/face protection Skin protection - Hand protection - Other	Systems und Ensure expo Consider the personal protective ed A risk assess risks related The following PPE complia : Wear safety Standard EN : Wear workin Standard EN : Wear workin Standard EN : Wear safety Standard EN : Standard EN face mask. Consult resp device. When indicar selection of t anticipated e	ler pressure should be regularily checked for leakages. sure is below occupational exposure limits (where available). use of a work permit system e.g. for maintenance activities. <b>quipment</b> sment should be conducted and documented in each work area to assess the to the use of the product and to select the PPE that matches the relevant risk. g recommendations should be considered: int to the recommended EN/ISO standards should be selected. glasses with side shields. 166 - Personal eye-protection - specifications. g gloves when handling gas containers. 1388 - Protective gloves against mechanical risk, performance level 1 or higher shoes while handling containers. 1302 20345 - Personal protective equipment - Safety footwear. 137 - Self-contained open-circuit compressed air breathing apparatus with full irratory device supplier's product information for the selection of the appropriate ted by a risk assessment, Respiratory Protective Equipment must be used. The he Respiratory Protective Device (RPD) must be based on known or xposure levels, the hazards of the product and the safe working limits of the
Eye/face protection Skin protection - Hand protection - Other	Systems und Ensure expo Consider the personal protective ed A risk assess risks related The following PPE complia : Wear safety Standard EN : Wear workin Standard EN : Wear safety Standard EN : Standard EN face mask. Consult resp device. When indical selection of t anticipated e selected RPI	ler pressure should be regularily checked for leakages. sure is below occupational exposure limits (where available). use of a work permit system e.g. for maintenance activities. <b>quipment</b> sment should be conducted and documented in each work area to assess the to the use of the product and to select the PPE that matches the relevant risk. g recommendations should be considered: int to the recommended EN/ISO standards should be selected. glasses with side shields. 166 - Personal eye-protection - specifications. g gloves when handling gas containers. 1388 - Protective gloves against mechanical risk, performance level 1 or highe shoes while handling containers. 1SO 20345 - Personal protective equipment - Safety footwear. 137 - Self-contained open-circuit compressed air breathing apparatus with ful irratory device supplier's product information for the selection of the appropriate ted by a risk assessment, Respiratory Protective Equipment must be used. The he Respiratory Protective Device (RPD) must be based on known or xposure levels, the hazards of the product and the safe working limits of the D.
Eye/face protection Skin protection - Hand protection - Other	Systems und Ensure expo Consider the personal protective ed A risk assess risks related The following PPE complia : Wear safety Standard EN : Wear workin Standard EN : Wear workin Standard EN : Wear safety Standard EN : Standard EN face mask. Consult resp device. When indical selection of t anticipated e selected RPI Self containe	<ul> <li>Iter pressure should be regularily checked for leakages.</li> <li>sure is below occupational exposure limits (where available).</li> <li>use of a work permit system e.g. for maintenance activities.</li> <li>quipment</li> <li>sment should be conducted and documented in each work area to assess the to the use of the product and to select the PPE that matches the relevant risk.</li> <li>g recommendations should be considered:</li> <li>int to the recommended EN/ISO standards should be selected.</li> <li>glasses with side shields.</li> <li>166 - Personal eye-protection - specifications.</li> <li>g gloves when handling gas containers.</li> <li>1388 - Protective gloves against mechanical risk, performance level 1 or highe shoes while handling containers.</li> <li>1SO 20345 - Personal protective equipment - Safety footwear.</li> <li>137 - Self-contained open-circuit compressed air breathing apparatus with ful iratory device supplier's product information for the selection of the appropriate ted by a risk assessment, Respiratory Protective Equipment must be used. The he Respiratory Protective Device (RPD) must be based on known or xposure levels, the hazards of the product and the safe working limits of the D.</li> <li>ed breathing apparatus is recommended, where unknown exposure may be</li> </ul>
Eye/face protection Skin protection - Hand protection - Other Respiratory protection	Systems und Ensure expo Consider the personal protective ed A risk assess risks related The following PPE complia : Wear safety Standard EN : Wear workin Standard EN : Wear workin Standard EN : Wear safety Standard EN : Standard EN : Standard EN : Standard EN face mask. Consult resp device. When indicat selection of t anticipated e selected RPI Self containe expected, e.g	<ul> <li>Iter pressure should be regularily checked for leakages.</li> <li>sure is below occupational exposure limits (where available).</li> <li>use of a work permit system e.g. for maintenance activities.</li> <li>quipment</li> <li>sment should be conducted and documented in each work area to assess the to the use of the product and to select the PPE that matches the relevant risk.</li> <li>g recommendations should be considered:</li> <li>int to the recommended EN/ISO standards should be selected.</li> <li>glasses with side shields.</li> <li>166 - Personal eye-protection - specifications.</li> <li>g gloves when handling gas containers.</li> <li>1388 - Protective gloves against mechanical risk, performance level 1 or higher shoes while handling containers.</li> <li>1SO 20345 - Personal protective equipment - Safety footwear.</li> <li>137 - Self-contained open-circuit compressed air breathing apparatus with full iratory device supplier's product information for the selection of the appropriate ted by a risk assessment, Respiratory Protective Equipment must be used. The he Respiratory Protective Device (RPD) must be based on known or xposure levels, the hazards of the product and the safe working limits of the D.</li> <li>ed breathing apparatus is recommended, where unknown exposure may be g. during maintenance activities on installation systems.</li> </ul>
Eye/face protection Skin protection - Hand protection - Other	Systems und Ensure expo Consider the personal protective ed A risk assess risks related The following PPE complia : Wear safety Standard EN : Wear workin Standard EN : Wear workin Standard EN : Wear safety Standard EN : Standard EN : Standa	<ul> <li>Iter pressure should be regularily checked for leakages.</li> <li>sure is below occupational exposure limits (where available).</li> <li>use of a work permit system e.g. for maintenance activities.</li> <li>quipment</li> <li>sment should be conducted and documented in each work area to assess the to the use of the product and to select the PPE that matches the relevant risk.</li> <li>g recommendations should be considered:</li> <li>int to the recommended EN/ISO standards should be selected.</li> <li>glasses with side shields.</li> <li>166 - Personal eye-protection - specifications.</li> <li>g gloves when handling gas containers.</li> <li>1388 - Protective gloves against mechanical risk, performance level 1 or higher shoes while handling containers.</li> <li>1SO 20345 - Personal protective equipment - Safety footwear.</li> <li>137 - Self-contained open-circuit compressed air breathing apparatus with full iratory device supplier's product information for the selection of the appropriate ted by a risk assessment, Respiratory Protective Equipment must be used. The he Respiratory Protective Device (RPD) must be based on known or xposure levels, the hazards of the product and the safe working limits of the D.</li> <li>ed breathing apparatus is recommended, where unknown exposure may be</li> </ul>



### **SECTION 9: physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Appearance	
<ul> <li>Physical state at 20°C / 101.3kPa</li> </ul>	: Gas.
- Colour	: Colourless.
Odour	: Odourless.
Melting point / Freezing point	: Not applicable for gases and gas mixtures.
Boiling point	: It is technically not possible to determine the boiling point or range of this mixture.
	Component with lowest boiling point: Nitrogen -196 °C
Flammability	: Non flammable.
Lower explosion limit	: Not applicable.
Upper explosion limit	: Not applicable.
Flash point	: Not applicable for gases and gas mixtures.
Auto-ignition temperature	: Non flammable.
Decomposition temperature	: Not applicable.
рН	: Not applicable for gases and gas mixtures.
Viscosity, kinematic	: Not applicable for gases and gas mixtures.
Water solubility [20°C]	: Mixture is partially soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not known.
Vapour pressure [20°C]	: Not applicable for compressed gases and gas mixtures.
Vapour pressure [50°C]	: Not applicable for compressed gases and gas mixtures.
Density and/or relative density	: Not applicable for gases and gas mixtures.
Relative vapour density (air=1)	: Lighter or similar to air.
Particle characteristics	: Not applicable for gases and gas mixtures.
	Nanoforms are not relevant for gases and gas mixtures.

### 9.2. Other information

9.2.1. Information with regard to physical hazard of	classes
Explosion limits	: Non flammable.
Oxidising properties	: No oxidising properties.
9.2.2. Other safety characteristics	
Other data	: None.
SECTION 10: stability and reactivity	
SECTION TO: Stability and reactivity	
10.1. Reactivity	
	Data for mixtures are not available. This mixture contains components with the following reactivity : Can form explosive mixture
	with air. May react violently with oxidants. Violently oxidises organic material.
10.2. Chemical stability	

Stable under normal conditions.

Avoid moisture in installation systems.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

None.

10.5. Incompatible materials

For additional information on compatibility refer to ISO 11114.



#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11.1. Information on hazard classes as defi	ned in Regulation (EC) No 1272/2008
Acute toxicity	: Toxicological effects not expected from this product if occupational exposure limit values ar not exceeded.
Skin corrosion/irritation	: No known effects from this product.
Serious eye damage/irritation	: No known effects from this product.
Respiratory or skin sensitisation	: No known effects from this product.
Germ cell mutagenicity	: No known effects from this product.
Carcinogenicity	: No known effects from this product.
Toxic for reproduction : Fertility	: No known effects from this product.
Toxic for reproduction : unborn child	: No known effects from this product.
STOT-single exposure	: No known effects from this product.
STOT-repeated exposure	: No known effects from this product.
Aspiration hazard	: Not applicable for gases and gas mixtures.
11.2. Information on other hazards	
Other information	: The substance/mixture has no endocrine disrupting properties.

SECTION 12: ecological information	
<u>12.1. Toxicity</u>	
Assessment	: Classification criteria are not met.
EC50 48h - Daphnia magna [mg/l]	: No data available.
EC50 72h - Algae [mg/l]	: No data available.
LC50 96 h - Fish [mg/l]	: No data available.
12.2. Persistence and degradability	
Assessment	: No data available.
12.3. Bioaccumulative potential	
Assessment	: No data available.
<u>12.4. Mobility in soil</u>	
Assessment	: Because of its high volatility, the product is unlikely to cause ground or water pollution. Partition into soil is unlikely.
12.5. Results of PBT and vPvB assessment	
Assessment	: Not classified as PBT or vPvB.
12.6. Endocrine disrupting properties	
Assessment	: The substance/mixture has no endocrine disrupting properties.
12.7. Other adverse effects	
Other adverse effects	: No known effects from this product.
Effect on the ozone layer	: No effect on the ozone layer.
Effect on global warming	: Contains greenhouse gas(es).



SECTION 13: disposal considerations	
13.1. Waste treatment methods	
List of hazardous waste codes (from Commission Decision 2000/532/EC as amended) 13.2. Additional information	<ul> <li>May be vented to atmosphere in a well ventilated place.</li> <li>Do not discharge into any place where its accumulation could be dangerous.</li> <li>Return unused product in original container to supplier.</li> <li>16 05 05 : Gases in pressure containers other than those mentioned in 16 05 04.</li> </ul>
	External treatment and disposal of waste should comply with applicable local and/or national regulations.
SECTION 14: transport information	
14.1. UN number or ID number	
In accordance with ADR / RID / IMDG / IATA / ADN UN-No.	: 1956
14.2. UN proper shipping name	
Transport by road/rail (ADR/RID)	: COMPRESSED GAS, N.O.S. (Nitrogen, oxygen)
Transport by air (ICAO-TI / IATA-DGR)	: Compressed gas, n.o.s. (Nitrogen, oxygen)
Transport by sea (IMDG)	: COMPRESSED GAS, N.O.S. (Nitrogen, oxygen)
14.3. Transport hazard class(es)	
Labelling	
	2.2 : Non-flammable, non-toxic gases.
Transport by road/rail (ADR/RID) Class	: 2
Classification code	: 1A
Hazard identification number Tunnel Restriction	: 20 : E - Passage forbidden through tunnels of category E
Transport by air (ICAO-TI / IATA-DGR)	. L - I assaye ionolouen intrough iunners of calegoly E
Class / Div. (Sub. risk(s))	: 2.2
Transport by sea (IMDG)	
Class / Div. (Sub. risk(s))	: 2.2
Emergency Schedule (EmS) - Fire Emergency Schedule (EmS) - Spillage	: F-C : S-V
14.4. Packing group	
Transport by road/rail (ADR/RID)	: Not applicable.
Transport by air (ICAO-TI / IATA-DGR)	: Not applicable.
Transport by sea (IMDG)	: Not applicable.
14.5. Environmental hazards	
Transport by road/rail (ADR/RID) Transport by air (ICAO-TI / IATA-DGR)	: None. : None.
Transport by sea (IMDG)	: None.
,	



#### 14.6. Special precautions for user

#### **Packing Instruction(s)** Transport by road/rail (ADR/RID)

:	P200.

: 200.

: 200.

: P200.

- Transport by air (ICAO-TI / IATA-DGR) Passenger and Cargo Aircraft Cargo Aircraft only
- Transport by sea (IMDG)
- Special transport precautions

# : Avoid transport on vehicles where the load space is not separated from the driver's compartment.

Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.

- Before transporting product containers:
- Ensure there is adequate ventilation.
- Ensure that containers are firmly secured.
- Ensure valve is closed and not leaking.
- Ensure valve outlet cap nut or plug (where provided) is correctly fitted.
- Ensure valve protection device (where provided) is correctly fitted.

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

SECTION 15: regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
EU-Regulations		
Restrictions on use Other information, restriction and prohibition regulations	<ul> <li>Contains no substance(s) listed on the REACH Candidate List.</li> <li>Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants).</li> </ul>	
Seveso Directive : 2012/18/EU (Seveso III)	<ul><li>Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals).</li><li>Not covered.</li></ul>	
National regulations		
Regulatory reference	: Ensure all national/local regulations are observed.	
15.2. Chemical safety assessment		
	A CSA does not need to be carried out for this product.	
SECTION 16: other information		

Indication of changes	: Safety data sheet in accordance with commission regulation (EU) No 2020/878.
Abbreviations and acronyms	<ul> <li>ATE - Acute Toxicity Estimate.</li> <li>CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.</li> <li>REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.</li> <li>EINECS - European Inventory of Existing Commercial Chemical Substances.</li> <li>CAS# - Chemical Abstract Service number.</li> <li>PPE - Personal Protection Equipment.</li> <li>LC50 - Lethal Concentration to 50 % of a test population.</li> <li>RMM - Risk Management Measures.</li> <li>PBT - Persistent, Bioaccumulative and Toxic.</li> <li>vPvB - Very Persistent and Very Bioaccumulative.</li> <li>STOT SE - Specific Target Organ Toxicity - Single Exposure.</li> <li>CSA - Chemical Safety Assessment.</li> </ul>



	EN - European Standard.
	UN - United Nations. ADR - European Agreement concerning the International Carriage of Dangerous Goods by
	Road.
	IATA - International Air Transport Association.
	IMDG code - International Maritime Dangerous Goods.
	RID - Regulations concerning the International Carriage of Dangerous Goods by Rail.
	STOT RE - Specific Target Organ Toxicity - Repeated Exposure.
	UFI - Unique Formula Identifier.
Training advice	: None.
Further information	: Classification using data from databases maintained by the European Industrial Gases Association (EIGA).
	Classification in accordance with the procedures and calculation methods of Regulation (EC) 1272/2008 (CLP).
Full text of H- and EUH-statements	
Flam. Gas 1A	Flammable gases, Category 1A
Ox. Gas 1	Oxidising Gases, Category 1
Press. Gas (Comp.)	Gases under pressure : Compressed gas
H220	Extremely flammable gas.
H270	May cause or intensify fire; oxidiser.
H280	Contains gas under pressure; may explode if heated.
DISCLAIMER OF LIABILITY	: Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out.
	Details given in this document are believed to be correct at the time of going to press. Whilst proper care has been taken in the preparation of this document, no liability for injury
	or damage resulting from its use can be accepted.
	End of document